MATERIAL SAFETY DATA SHEET

Manufacturer:

MSDS #: 1203

ADV Leather, Inc. 21579 Gaines Ln. Anderson, CA, 96007

Info/Emergency Phone # (8:30am-4:30pm, PST):

(800) 541-5982

Prepared by: Jason Murray

Date prepared: 1/8/2018

SECTION 1 – MATERIAL IDENTIFICATION

Product Name/Number: Unfinished Leather Primer/PR-1 CAS #: Mixture

SECTION 2 – COMPOSITION INFORMATION

A. Hazardous

Description:	CAS #	<u>%:</u>	Exposure Limits:
Benzyl Butyl 1,2-	1200806-67-2	2.5 - <5	n/a
cyclohexyldicarboxylate			
White Mineral oil	8042-47-5	.5 - <2.5	TWA – 5mg/m3
			STEL – 10mg/m3

SECTION 3 – HAZARDS IDENTIFICATION

Emergency Overview:

May cause eye and skin irritation. Avoid contact with eyes and skin. Use appropriate protective measures during use. Keep out of reach of children.

SECTION 4 – FIRST AID MEASURES

Eye contact:	Hold eyes open and immediately rinse eyes thoroughly with plenty of water. Remove any contact lenses and continue rinsing for at least 15 minutes. Seek medical if irritation persists.
Skin contact:	Wash thoroughly with soap and water.
	If irritation persists, consult a physician.
Inhalation:	Move to well-ventilated area.
Ingestion:	Rinse mouth thoroughly and drink 2-4 glasses of water
	or milk at once. DO NOT induce vomiting. Seek medical
	attention if symptoms persist. Never give an unconscious
	person anything to ingest.

SECTION 5 – FIRE AND EXPLOSION DATA

>200° F.

Flash Point:

Explosive Limits in Air:
Fire Fighting Media and Instructions:Not applicable.
Use water fog, foam, dry chemical or
carbon dioxide, as suitable for the
surrounding fire.Special Fire-fighting Instructions:Wear self-contained breathing apparatus
and protective clothing appropriate for
fighting a typical chemical fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill procedures:

Recover any free material as possible. Soak up remains with an inert, absorbent material, and dispose of in accordance with governmental regulations Large spills should be diked, contained, and collected for later disposal according to local, state, and federal regulations.

SECTION 7 – HANDLING AND STORAGE

<u>Handling:</u>	Use with caution. Avoid contact with eyes and skin.
Storage:	Store in a secure area - away from pets, and children. Keep from freezing . Store between 40 F and 120 F.

SECTION 8 - EXPOSURE CONTROLS

<u>Ventilation:</u> Eyes: Skin:	Use good local ventilation when applying. Avoid contact with eyes. Wear eye-protection. Avoid skin contact. Wear non-absorbent gloves.
Inhalation:	Use good local ventilation. Don't use in confined areas.
<u>Hygiene:</u>	Wash with soap and water after use if skin is exposed.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance:</u> <u>pH:</u> <u>Boiling Point:</u> <u>Color:</u> <u>Viscosity:</u> Milky liquid 7.7-8.1 212° F. clear not available <u>Solubility:</u> <u>Non-Volatiles:</u> <u>Odor:</u> <u>Specific Gravity:</u> Water-dispersible, soluble 20-35.5% Wt. Mild chemical Not available

SECTION 10 - STABILITY AND REACTIVITY

<u>Chemical stability:</u> <u>Incompatibility:</u> Stable None known **Hazardous polymerization:**

Will not occur

SECTION 11 – TOXICOLOGY INFORMATION / EXPOSURE EFFECTS

Eye contact:	Vapor may cause irritation. Liquid may produce irritation experienced as excess redness.
<u>Skin contact:</u>	Prolonged skin contact causes irritation, redness, and defatting of the skin.
Inhalation:	Exposure may cause irritation to the
Ingestion:	respiratory tract, with sneezing, coughing, burning sensation of the throat, constricting sensation of the larynx, and difficulty in breathing. May cause chemical burns of the mouth, throat, and
Carcinogenicity:	esophagus. Signs and symptoms will include pain or discomfort in the mouth, throat, chest, and abdomen, nausea, vomiting, diarrhea, dizziness, collapse, and coma. unknown
<u>carcinogenicity.</u>	UTKIOWI

SECTION 12 – ECOLOGICAL DATA

Eco-toxicity: not available

SECTION 13 – DISPOSAL

Waste disposal:

Dispose of in accordance with local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Not a DOT controlled material (USA). Supplied in 8 oz, 32 oz, and gallon containers. Non-corrosive.

SECTION 15 – REGULATORY INFORMATION

Federal and State:	SARA Title III , Section 313 Toxic Chemical Notification and Release Reporting – Contains 50-00-0, Formaldehyde.
California Proposition 65:	Warning! This product contains a chemical known in the State of California to cause cancer. 50-00-0, Formaldehyde. 140-88-5
Other classifications:	WHMIS (Canada) – Hazard class D2A, D2B.

SECTION 16 – HMIS INFORMATION AND DISCLAIMER

National Fire Protection Association:1-0-0HMIS:1-0-0

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.